



TEST REPORT

Applicant : Suzhou AnLaiQiang Electronic Technology Co.,LTD
Address : North of the 4th floor of plant 4 #, No. 599, Taishan Road Suzhou New District

Report on the submitted samples said to be:

Sample Name(s) : DC Contactor
Trade Mark : ALQ
Tested Model No. : EVC5A Series
Sample Received Date : February 27, 2026
Testing Period : February 28, 2026 ~ March 06, 2026
Date of Report : March 17, 2026
Testing Location : 101-106, 202-206, Building 037, No. 166, Jinghua Road, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China
Results : Please refer to next page(s).

Signed for and on behalf of Xuntong

Miranda Mo

Miranda Mo /Laboratory Manager





TEST REQUEST	CONCLUSION
As specified by client, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	PASS



**Results:****A. EU RoHS Directive 2011/65/EU and its amendment directives**

Test method: IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Sample No.	Sample Description	Results						Date of sample submission/ Resubmission
		Cd	Pb	Hg	Cr▼	Br▼		
						PBBs	PBDEs	
1	Transparent tape	BL	BL	BL	BL	BL	BL	2026-02-28
2	Silver metal nail	BL	BL	BL	BL	BL	BL	2026-02-28
3	Silver metal ring	BL	BL	BL	BL	BL	BL	2026-02-28
4	Silver metal gasket	BL	BL	BL	BL	BL	BL	2026-02-28
5	Gray plastic	BL	BL	BL	BL	BL	BL	2026-02-28
6	Black plastic casing	BL	BL	BL	BL	BL	BL	2026-02-28
7	Yellow tape	BL	BL	BL	BL	BL	BL	2026-02-28
8	Metal soldering	BL	BL	BL	BL	BL	BL	2026-02-28
9	White plastic	BL	BL	BL	BL	BL	BL	2026-02-28
10	Silver metal	BL	BL	BL	BL	BL	BL	2026-02-28
11	Silver metal	BL	BL	BL	BL	BL	BL	2026-02-28
12	Yellow metal wire	BL	BL	BL	BL	BL	BL	2026-02-28
13	Silver metal	BL	BL	BL	BL	BL	BL	2026-02-28
14	White plastic	BL	BL	BL	BL	BL	BL	2026-02-28
15	Beige plastic	BL	BL	BL	BL	BL	BL	2026-02-28
16	Silver metal	BL	BL	BL	BL	BL	BL	2026-02-28
17	Silver metal	BL	BL	BL	BL	BL	BL	2026-02-28
18	Silver metal	BL	BL	BL	BL	BL	BL	2026-02-28
19	Silver metal nail	BL	BL	BL	BL	BL	BL	2026-02-28
20	Silver metal bolt	BL	BL	BL	BL	BL	BL	2026-02-28
21	Silver metal rod	BL	BL	BL	BL	BL	BL	2026-02-28
22	Silver metal	BL	BL	BL	BL	BL	BL	2026-02-28
23	Silver metal magnet	BL	BL	BL	BL	BL	BL	2026-02-28
24	Silver metal	BL	BL	BL	BL	BL	BL	2026-02-28
25	Silver metal spring	BL	BL	BL	OL	BL	BL	2026-02-28
26	Silver metal spring	BL	BL	BL	BL	BL	BL	2026-02-28
27	Silver metal nail	BL	BL	BL	BL	BL	BL	2026-02-28
28	Silver metal	OL	BL	BL	BL	BL	BL	2026-02-28
29	Bronze metal	BL	BL	BL	BL	BL	BL	2026-02-28

TRF-4-R-002 B/0



Ningbo Xuntong Standard Technology Service Co., Ltd.

Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,
Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China

Tel: +(86) 0574-8790 8011

E-mail: verification@nbxt-cert.com

www.nbxt-cert.com

Scan code to check authenticity



Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$
Br	$BL \leq (300-3\sigma) < X$	N/A	$BL \leq (250-3\sigma) < X$

Remark:

- BL= Below Limit
 - OL= Over Limit
 - X= The range of needing to do further testing
 - N/A= Not applicable
 - LOD= Detection limit
2. The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.





RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



**B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content****Test method:****Cadmium(Cd) Content:**

IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP & DIBP) Content:

IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of Cadmium(Cd)

Tested Items	MDL (mg/kg)	Results (mg/kg)	Limit (mg/kg)
		28	
Cadmium(Cd) Content	5	N.D.	100

2) Hexavalent Chromium(Cr(VI))(for coating on metal- water-extraction)**

Tested Item	MDL ($\mu\text{g}/\text{cm}^2$)	Test Result(s)
		25
Hexavalent Chromium(Cr(VI)) Content★	0.10 (LOQ)	Negative

3) The test results of Phthalates(DBP, BBP, DEHP & DIBP)

Tested Items	MDL (mg/kg)	Results (mg/kg)			Limit (mg/kg)
		1	5+6+7	9+14+15	
Dibutyl Phthalate(DBP) Content	50	N.D.	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	N.D.	N.D.	1000





Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL or LOQ)
- mg/kg = milligrams per kilogram
- LOQ = Limit Of Quantification, The LOQ of Hexavalent chromium is $0.10 \mu\text{g}/\text{cm}^2$
- ★ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than $0.13 \mu\text{g}/\text{cm}^2$. The sample coating is considered to contain Cr(VI).
b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than $0.10 \mu\text{g}/\text{cm}^2$). The sample coating is considered a non- Cr(VI) based coating.
c. The result between $0.10 \mu\text{g}/\text{cm}^2$ and $0.13 \mu\text{g}/\text{cm}^2$ is considered to be inconclusive, unavoidable coating variations may influence the determination.
- Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.
- According to customer's requirement, only the appointed materials have been tested.




XUNSTC






Test Process

1. Cadmium(Cd) : IEC 62321-5:2013




2. Hexavalent Chromium(Cr(VI))

1) IEC 62321-7-1:2015




3. Phthalates(DBP, BBP, DEHP & DIBP) : IEC 62321-8:2017





The photo(s) of the sample



TRF-4-R-002 B/0



Ningbo Xuntong Standard Technology Service Co., Ltd.



Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,
Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China

Tel: +(86) 0574-8790 8011

E-mail: verification@nbxt-cert.com

www.nbxt-cert.com

Scan code to check authenticity



TRF-4-R-002 B/0



Ningbo Xuntong Standard Technology Service Co., Ltd.
Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,
Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China
Tel: +(86) 0574-8790 8011 | E-mail: verification@nbxt-cert.com | www.nbxt-cert.com
Scan code to check authenticity



TRF-4-R-002 B/0



Ningbo Xuntong Standard Technology Service Co., Ltd.


Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,
Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China

Tel: +(86) 0574-8790 8011

| E-mail: verification@nbxt-cert.com

| www.nbxt-cert.com

Scan code to check authenticity

**Statement:**

1. The report does not have the "inspection and testing special seal" or the official seal of the testing unit is invalid;
2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by Xuntong;
3. The test results in this report are only responsible for the tested samples;
4. Without written approval of Xuntong, this report can't be reproduced except in full;
5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***

